



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER OF PATENTS AND TRADEMARKS  
Washington, D.C. 20231  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/023,416	02/13/1998	TADAHIRO OHMI	980150	6923

7590

04/17/2003

ARMSTRONG WESTERMAN HATTORI  
MCLELAND & NAUGHTON  
SUITE 1000  
1725 K STREET N W  
WASHINGTON, DC 20006

EXAMINER

FOX, JOHN C

ART UNIT

PAPER NUMBER

3753

40

DATE MAILED: 04/17/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

# Office Action Summary

Application No.

09/023416

Applicant(s)

Examiner

Jux

Group Art Unit

—The MAILING DATE of this communication appears on the cover sheet beneath the correspondence address—

## Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3753 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, such period shall, by default, expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).

## Status

- ☒ Responsive to communication(s) filed on 3/6/03
- ☒ This action is **FINAL**.
- ☐ Since this application is in condition for allowance except for formal matters, **prosecution as to the merits is closed** in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11; 453 O.G. 213.

## Disposition of Claims

- ☒ Claim(s) 1 is/are pending in the application.  
Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- ☒ Claim(s) 1 is/are rejected.
- ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- ☐ Claim(s) \_\_\_\_\_ are subject to restriction or election requirement.

## Application Papers

- ☐ See the attached Notice of Draftsperson's Patent Drawing Review, PTO-948.
- ☐ The proposed drawing correction, filed on \_\_\_\_\_ is ☐ approved ☐ disapproved.
- ☐ The drawing(s) filed on \_\_\_\_\_ is/are objected to by the Examiner.
- ☐ The specification is objected to by the Examiner.
- ☐ The oath or declaration is objected to by the Examiner.

## Priority under 35 U.S.C. § 119 (a)-(d)

- ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d).
  - ☐ All ☐ Some\* ☐ None of the CERTIFIED copies of the priority documents have been received.
  - ☐ received in Application No. (Series Code/Serial Number) \_\_\_\_\_
  - ☐ received in this national stage application from the International Bureau (PCT Rule 1.7.2(a)).

\*Certified copies not received: \_\_\_\_\_

## Attachment(s)

- ☐ Information Disclosure Statement(s), PTO-1449, Paper No(s) \_\_\_\_\_
- ☐ Interview Summary, PTO-413
- ☐ Notice of Reference(s) Cited, PTO-892
- ☐ Notice of Informal Patent Application, PTO-152
- ☐ Notice of Draftsperson's Patent Drawing Review, PTO-948
- ☐ Other \_\_\_\_\_

Office Action Summary

Art Unit: 3753

This action is responsive to the communication filed March 6, 2003.

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Claim 1 is rejected under 35 U.S.C. §102(b) as being anticipated by Kumada. Kumada shows a gas stick with identical 2-type on-off valves 42-1 through 42-5 and MFC 43 mounted on a base 41. The ports of valves 42-1 and 42-4 are in a plane along the line, and are on either side of MFC 43, and have coplanar bases. Base 41 is read as two "mounts" integrally joined together in that the valves are mounted thereon, and the flow passages 46 together with the tubes 45-1 to 45-4 are read as joint members in that they provide fluid communication between the valve ports.

Applicant's remarks have been fully considered but are not deemed to be persuasive. As to a), Kumada has selected three two port valves 42-1, 42-3 and 42-4, which fairly responds to the claim language. As to b), Figure 6 shows the two port valve with ports 65a, 65b on the bottom. The claim language does not require any more valves. As to c), see Figure 6. As to d), Kumada certainly shows valve mounts since they are mounted to 41. Further, an integrally formed structure can reasonably be described as the sum of its parts, *i.e.* a circle is two semicircles. Lastly, 41 has channels 46 and they communicate

Serial Number: 09/023416

-3-

Art Unit: 3753

adjacent valves. There is nothing in the claims precluding external tubes in addition to the channels.

**THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 C.F.R. § 1.136(a).

A SHORTENED STATUTORY PERIOD FOR RESPONSE TO THIS FINAL ACTION IS SET TO EXPIRE THREE MONTHS FROM THE DATE OF THIS ACTION. IN THE EVENT A FIRST RESPONSE IS FILED WITHIN TWO MONTHS OF THE MAILING DATE OF THIS FINAL ACTION AND THE ADVISORY ACTION IS NOT MAILED UNTIL AFTER THE END OF THE THREE-MONTH SHORTENED STATUTORY PERIOD, THEN THE SHORTENED STATUTORY PERIOD WILL EXPIRE ON THE DATE THE ADVISORY ACTION IS MAILED, AND ANY EXTENSION FEE PURSUANT TO 37 C.F.R. § 1.136(a) WILL BE CALCULATED FROM THE MAILING DATE OF THE ADVISORY ACTION. IN NO EVENT WILL THE STATUTORY PERIOD FOR RESPONSE EXPIRE LATER THAN SIX MONTHS FROM THE DATE OF THIS FINAL ACTION.

Any inquiry concerning this communication should be directed to Examiner Fox at (703) 308-2595 or John.Fox@uspto.gov. Any inquiry of a general nature or relating to the status of this application should be directed to the Group receptionist whose telephone number is (703) 308-0861. The fax number for Art Unit 3753 is (703) 308-7765. The Supervisory Primary Examiner for Art Unit 3753 is Michael Buiz who can be reached at (703) 308-2580 or at Michael.Buiz@uspto.gov.



JOHN FOX  
PRIMARY EXAMINER  
ART UNIT 3753

jcf  
April 16, 2003